



A Review of Cutting-edge Biotechnological Solutions for Next-generation Farming

**Umang Ahlawat ^{a++}, Anu Naruka ^{b++*},
Walunjkar Babasaheb Changdeo ^{b++}, Rizwana Rehsawla ^{c#},
Rekha Sansanwal ^{d++}, Rishabh Mishra ^{e†}, Kiran ^{f‡}
and Vivek Kumar Singh ^g**

^a Kingston Imperial Institute of Technology and Sciences, Dunga, Dehradun, Uttarakhand, India.

^b Genetics and Plant Breeding, Shri Vaishnav Institute of Agriculture, Shri Vaishnav Vidyapeeth Vishwavidyalaya, Indore, M.P. India.

^c Division of Plant Pathology, Indian Agricultural Research Institute, Pusa, New Delhi, India.

^d Department of Microbiology, Faculty of life sciences, Chaudhary Bansi Lal university, Bhiwani, Haryana, India.

^e Shri Vaishnav Institute of Agriculture, Shri Vaishnav Vidyapeeth Vishwavidyalaya, Indore, M.P, India.

^f Chaudhary Charan Singh Regional Research Station, Uchani, Karnal, Haryana, India.

^g Genetics and Plant Breeding, CCS HAU Hisar, Haryana, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/jeai/2024/v46i72671>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

<https://www.sdiarticle5.com/review-history/118859>

Review Article

Received: 08/05/2024

Accepted: 10/07/2024

Published: 12/07/2024

⁺⁺ Assistant Professor;

[#] Senior Research Fellow;

[†] M.Sc. (Genetic and Plant Breeding);

[‡] Assistant Scientist (Plant Breeding);

*Corresponding author: E-mail: anunaruka8@gmail.com;

Cite as: Ahlawat, Umang, Anu Naruka, Walunjkar Babasaheb Changdeo, Rizwana Rehsawla, Rekha Sansanwal, Rishabh Mishra, Kiran, and Vivek Kumar Singh. 2024. "A Review of Cutting-Edge Biotechnological Solutions for Next-Generation Farming". *Journal of Experimental Agriculture International* 46 (7): 1187-1204. <https://doi.org/10.9734/jeai/2024/v46i72671>.

ABSTRACT

The emerging trends in agricultural biotechnology focus on synthetic biology, gene drives, advanced breeding techniques, and the integration of AI and machine learning. Synthetic biology offers innovative solutions by designing new biological systems and reengineering existing ones, enhancing traits such as drought tolerance and nutrient biosynthesis in crops. Gene drives and advanced breeding techniques, particularly CRISPR-Cas9, enable precise genetic modifications to control pest populations and improve crop resilience. AI and machine learning revolutionize agriculture through predictive analytics with real-time decision-making, optimizing resource use, and increasing efficiency. These technologies provide actionable insights into crop management, from detecting stress factors to predicting yields. The review also highlights the importance of international collaborations and global initiatives, such as CGIAR and GACSA, which play a critical role in sharing knowledge, resources, and biotechnological advancements to address food security and sustainability. Capacity-building programs and technology transfer initiatives, exemplified by AGRA, enhance technological capabilities in developing regions. Global efforts, like the FAO's Sustainable Food and Agriculture program and the ITPGRFA, emphasize the conservation and sustainable use of genetic resources, supporting the development of resilient crop varieties. Despite the promising benefits, challenges such as regulatory hurdles, public perception, and ethical considerations must be addressed to ensure the responsible adoption of these technologies. By fostering interdisciplinary research, enhancing public education, and promoting sustainable farming practices, these biotechnological innovations can be harnessed to create a resilient and sustainable agricultural system, ultimately contributing to global food security and environmental health. This analysis underscores the transformative potential of biotechnology in shaping the future of agriculture.

Keywords: Precision agriculture; CRISPR-Cas9; sustainable farming; agricultural biotechnology.

1. INTRODUCTION

Agricultural biotechnology refers to the application of scientific techniques, including genetic engineering, molecular markers, molecular diagnostics, vaccines, and tissue culture, to improve plants, animals, and microorganisms for agricultural purposes [1]. This field encompasses a range of methods aimed at enhancing crop yields, increasing resistance to pests and diseases, and improving the nutritional quality of food. The significance of biotechnology in agriculture is profound, as it offers innovative solutions to some of the most pressing challenges in modern farming, including food security, environmental sustainability, and economic viability. Biotechnology in agriculture is pivotal in developing genetically modified (GM) crops with desirable traits such as pest and disease resistance, drought tolerance, and enhanced nutritional profiles [2]. These advancements reduce the dependency on chemical pesticides and fertilizers, minimizing environmental pollution. By decreasing reliance on these chemicals, biotechnology promotes more sustainable agricultural practices. Biotechnological innovations enable the creation of biofortified crops to address nutritional deficiencies, a critical issue in many developing

regions. Golden Rice, engineered to contain higher levels of Vitamin A, aims to combat vitamin A deficiency, which can lead to severe health problems, including blindness and increased mortality rates among children. The historical development of agricultural biotechnology can be traced back to traditional breeding practices, where farmers selected plants with desirable traits and cross-bred them over generations. This method, while effective to some extent, was time-consuming and limited by natural breeding barriers between species. The discovery of the structure of DNA marked a pivotal moment, providing the molecular basis for genetic manipulation [3]. This was followed by the development of recombinant DNA technology in the 1970s, which allowed scientists to cut and splice genes from different organisms, creating genetically modified organisms (GMOs). The first major breakthrough in this area was the development of the Flavr Savr tomato, approved by the FDA, which was engineered to have a longer shelf life [4]. This was soon followed by other GM crops such as Bt cotton and herbicide-resistant soybeans, which have been widely adopted globally. Over the past two decades, advancements in genetic engineering techniques, such as CRISPR-Cas9, have further accelerated the development of crops with

precise and desirable traits. CRISPR-Cas9, a powerful tool for editing genomes, allows for the modification of DNA sequences with high precision and efficiency. This technology has opened new possibilities for crop improvement, enabling scientists to create plants that are more resilient to environmental stresses, have improved nutritional profiles, and are more efficient in resource use. Traditional farming practices face numerous challenges that threaten global food security and environmental sustainability. Climate change, characterized by increasing temperatures, changing precipitation patterns, and more frequent extreme weather events, poses a significant threat to agricultural productivity. Traditional farming methods often lack the resilience needed to cope with these changes, leading to reduced crop yields and increased vulnerability to environmental stressors [5]. Pest and disease pressure is another major challenge in traditional farming. Crops are constantly threatened by pests and diseases, which can cause significant yield losses. Traditional methods of pest control often rely heavily on chemical pesticides, which can lead to the development of pesticide resistance in pests, environmental contamination, and harm to non-target species. Soil degradation, caused by intensive farming practices, monocropping, and the excessive use of chemical fertilizers, further exacerbates the problem. Degraded soils have reduced fertility and structure, which negatively impacts crop productivity and sustainability [6]. Water scarcity is another critical issue faced by traditional farming practices. Agriculture is one of the largest consumers of freshwater resources, and traditional irrigation methods are often inefficient, leading to significant water wastage and the depletion of water resources. Efficient water management practices are essential to ensure sustainable agricultural production, particularly in regions where water is scarce. Many staple crops lack essential nutrients, contributing to widespread malnutrition, especially in developing countries. Traditional breeding methods have had limited success in significantly enhancing the nutritional content of crops, highlighting the need for innovative solutions [7].

2. PURPOSE AND SCOPE OF THE REVIEW

The primary purpose of this review is to provide a comprehensive analysis of cutting-edge biotechnological solutions that address the challenges faced by traditional farming practices.

The review aims to highlight recent advancements in genetic engineering and other biotechnological tools that enhance crop resilience, yield, and nutritional quality. It will explore the applications of biotechnology in improving soil and plant health monitoring, discuss sustainable farming practices enabled by biotechnology, such as the use of biopesticides and biofertilizers, evaluate the economic and social implications of adopting biotechnological solutions in agriculture, and identify emerging trends and future directions in agricultural biotechnology. The scope of this review focuses on recent developments in agricultural biotechnology, particularly those made in the past two decades. It covers a broad range of biotechnological applications, including genetic engineering, precision agriculture, soil health management, and sustainable farming practices. While the emphasis is on the applications and impacts of these technologies, the technical details of each biotechnological tool will be discussed where relevant to provide a comprehensive understanding [8]. The review is limited by the availability of published literature and the rapid pace at which new biotechnological advancements are emerging. As such, it provides a snapshot of the current state of agricultural biotechnology rather than an exhaustive account of all existing technologies. The review does not extensively cover biotechnological advancements in animal agriculture or aquaculture, focusing primarily on crop production.

3. STRUCTURE OF THE PAPER

The review paper is organized into several key sections, each addressing a specific aspect of biotechnological solutions for next-generation farming. The first section, Advancements in Genetic Engineering, covers the latest in genetic engineering techniques such as CRISPR-Cas9, GMOs, and marker-assisted selection, and their impact on crop improvement, including increased yield, pest resistance, and nutritional enhancement. The second section, Biotechnological Solutions for Crop Improvement, explores genetic approaches to enhance drought and stress tolerance, pest and disease resistance, and nutritional quality, supported by case studies showcasing successful applications. Advancements in Soil and Plant Health Monitoring is the third section, discussing methods to improve soil microbiomes, the use of biosensors and nanotechnology, and integrating biotechnology with precision

agriculture to optimize soil health and crop management. The fourth section, Sustainable Farming Practices through Biotechnology, highlights the development and application of biopesticides, biofertilizers, biodegradable materials, and waste management solutions to promote sustainable farming. The fifth section, Economic and Social Implications, evaluates the cost-benefit analysis, social acceptance, ethical considerations, and policy frameworks associated with biotechnological solutions in agriculture. The final section, Future Directions and Emerging Trends, identifies emerging biotechnologies, the impact of AI and machine learning, and collaborative efforts for global agricultural sustainability [9]. The methodology involved a systematic search of peer-reviewed articles, conference papers, and books from databases like PubMed, Scopus, and Google Scholar, focusing on recent advancements from 2000 onwards, with criteria ensuring relevance and empirical support.

4. ADVANCEMENTS IN GENETIC ENGINEERING

A. CRISPR-Cas9 Technology

CRISPR-Cas9, developed in 2012, is a revolutionary genetic engineering tool derived from bacterial immune defence mechanisms. It enables precise and efficient DNA editing by using CRISPR sequences and the Cas9 enzyme to cut DNA at specific locations, allowing for targeted genetic modifications [10]. This technology has been applied to develop crops with enhanced traits like disease resistance, drought tolerance, and improved nutritional content, such as rice resistant to bacterial blight and wheat resistant to powdery mildew. CRISPR-Cas9 has achieved significant success in crop improvement. For example, non-browning mushrooms were developed by disabling a browning gene, extending their shelf life. Herbicide-resistant rice was created by editing the ALS gene, facilitating effective weed management. Golden rice, biofortified with increased beta-carotene content to combat vitamin A deficiency, is another notable success [11]. Despite its potential, CRISPR-Cas9 poses risks like off-target effects, which can cause unintended genetic changes. Ethical concerns include the impact on biodiversity, ecosystem stability, and the rapid spread of modified genes through populations via gene drives. Public perception, regulatory oversight, and ensuring

accessibility for smallholder farmers are crucial for the responsible use of this technology.

B. Genetically Modified Organisms (GMOs)

GMOs are crops altered through genetic engineering to exhibit specific traits, including herbicide resistance, insect resistance, and improved nutritional profiles. Common examples include Roundup Ready soybeans, Bt cotton, and Golden Rice (Table 1) [13]. GMOs have increased crop yields, reduced pesticide use, and improved food security, contributing to higher productivity and profitability for farmers. GMOs are controversial due to potential risks to human health, the environment, and biodiversity. Concerns include unintended allergenic effects, gene flow to non-GM crops, and pest resistance development. Public skepticism and opposition, influenced by mistrust of biotech companies and ethical concerns, remain significant [14]. Regulation of GMOs varies globally. In the U.S., multiple agencies oversee GMO safety and approval, while the EU adopts a more precautionary approach with stringent regulations and labelling requirements. Effective communication, transparency, and educational initiatives are essential to address public concerns and build trust in biotechnology.

C. Marker-Assisted Selection (MAS)

MAS enhances traditional breeding by using molecular markers to select plants with desirable traits. This process involves identifying markers linked to traits of interest through genetic mapping and QTL analysis, then using these markers to screen and select plants, accelerating the breeding process [15]. MAS significantly reduce the time and resources needed to develop new crop varieties by enabling the early and precise selection of plants with desired traits. It also allows for the pyramiding of multiple genes associated with complex traits and the selection of traits difficult to measure phenotypically, such as root architecture and nutrient use efficiency. MAS has been successfully applied to develop improved crop varieties. In rice, MAS has introduced multiple resistance genes to combat bacterial blight, resulting in high-yielding, disease-resistant cultivars. In wheat, MAS has improved rust resistance by incorporating multiple resistance genes, enhancing yield stability, and reducing fungicide reliance. MAS has also developed drought-tolerant maize varieties, providing resilient options for farmers in drought-prone regions [16].




Fig. 1. The CRISPR-Cas9-mediated gene editing diagram
(Source: [12])

Table 1. Selective genetically modified crops approved for commercial planting worldwide
(Source: GM Approval Database, www.isaaa.org)

Commercial Trait	Crops	GM Trait	Developer(s)	
Herbicide Tolerance	Alfalfa	Glyphosate tolerance	Monsanto Company & Forage Genetics International	
	Canola	Glyphosate tolerance	DuPont (Pioneer Hi-Bred International Inc.), Monsanto Company	
	Carnation	Cotton	Glufosinate tolerance	Bayer CropScience
			Sulfonylurea tolerance	Suntory Limited (Japan)
	Cotton	Cotton	Sulfonylurea tolerance	DuPont (Pioneer Hi-Bred International Inc.)
			Glufosinate tolerance	Dow AgroSciences LLC, Monsanto Company
			2,4-D herbicide tolerance	Dow AgroSciences LLC
			Oxynil herbicide tolerance	Monsanto Company
			Glyphosate tolerance	Syngenta and Monsanto Company,

Commercial Trait	Crops	GM Trait	Developer(s)
Insect Resistance	Chicory	Glufosinate tolerance	Bayer CropScience
	Flax	Sulfonylurea tolerance	Bejo Zaden BV (Netherlands)
	Maize	Glufosinate tolerance	University of Saskatchewan
			Syngenta, DuPont (Pioneer Hi-Bred International Inc.), Bayer CropScience
	Rice	Glyphosate tolerance	Monsanto Company
	Soybean	Glufosinate tolerance	Bayer CropScience
		Glufosinate tolerance	BASF
		Dicamba tolerance	DuPont (Pioneer Hi-Bred International Inc.)
	Wheat	Glufosinate tolerance	Bayer CropScience
	Cotton	Glyphosate tolerance	Monsanto Company
Abiotic Stress Tolerance Altered Growth/Yield		Lepidopteran insect resistance	Dow AgroSciences LLC, Syngenta, JK Agri Genetics Ltd (India), Monsanto Company
	Rice	Lepidopteran insect resistance	Huazhong Agricultural University (China), Agricultural Biotech Research Institute (Iran)
	Soybean	Lepidopteran insect resistance	Dow AgroSciences LLC, Monsanto Company
	Tomato	Lepidopteran insect resistance	Monsanto Company
	Maize	Drought stress tolerance	Monsanto Company
	Soybean	Drought stress tolerance	Verdeca
	Sugarcane	Drought stress tolerance	PT Perkebunan Nusantara XI (Persero)
	Maize	Enhanced Photosynthesis/Yield	Dow AgroSciences LLC
		Increased Ear Biomass	Monsanto Company
	Eucalyptus	Volumetric Wood Increase	FuturaGene Group
Modified Product Quality	Soybean	Enhanced Photosynthesis/Yield	Monsanto Company
	Alfalfa	Altered lignin production	Monsanto Company and Forage Genetics International
	Apple	Non-Browning	Okanagan Specialty Fruits Incorporated
	Canola	Modified oil/fatty acid	Monsanto Company, Nuseed Pty Ltd
		Phytase Production	BASF
	Cotton	Low Gossypol	Texas A&M AgriLife Research University
	Maize	Modified alpha amylase	Syngenta
		Mannose metabolism	Syngenta
		Phytase production	Origin Agritech (China)
	Rice	Anti-allergy	National Institute of Agrobiological Sciences (Japan)
		Enhanced Provitamin A Content	International Rice Research Institute
	Soybean	Modified oil/fatty acid	DuPont (Pioneer Hi-Bred International Inc.), Monsanto Company
	Tomato	Delayed ripening/senescence	DNA Plant Technology Corporation (USA), Agritope Inc. (USA), Monsanto Company
		Delayed fruit softening	Zeneca Plant Science and Petoseed Company
		Delayed fruit softening (FLAVR SAVR)	Monsanto Company

5. BIOTECHNOLOGICAL SOLUTIONS FOR CROP IMPROVEMENT

A. Drought and stress tolerance

Drought and other abiotic stresses are major challenges to global agriculture, significantly reducing crop yields and threatening food security. Traditional breeding methods have made some progress in developing stress-tolerant crops, but these methods are often slow and limited by the genetic diversity available within a species. Biotechnology offers powerful tools to enhance drought and stress tolerance through genetic modifications (Table 1) [17]. One of the primary genetic approaches involves the manipulation of genes associated with stress response pathways. These pathways often include genes that encode transcription factors, osmoprotectants, and stress-responsive proteins. For example, the overexpression of DREB (Dehydration-Responsive Element Binding) transcription factors in *Arabidopsis* has been shown to improve drought tolerance by regulating the expression of downstream stress-responsive genes [18]. Similar strategies have been applied to crops like rice and wheat to enhance their resilience to drought. Another approach involves the introduction of genes from other species that are known to confer stress tolerance. The gene for trehalose-6-phosphate synthase, which plays a role in the synthesis of trehalose (a sugar that stabilizes proteins and membranes under stress), has been transferred from *Escherichia coli* to rice, resulting in improved drought and salt tolerance. Genes encoding for late embryogenesis abundant (LEA) proteins, which protect cellular structures during dehydration, have been introduced into various crops to enhance their stress tolerance [19]. CRISPR-Cas9 technology has also been employed to edit genes related to stress tolerance directly. For example, the targeted knockout of the OsNAC14 gene in rice, which negatively regulates drought tolerance, has led to improved drought resistance. This precise gene-editing technique allows for the development of crops with enhanced stress tolerance without the introduction of foreign DNA, potentially easing regulatory hurdles and public acceptance.

6. CASE STUDIES OF DROUGHT-RESISTANT CROPS

Several case studies highlight the successful application of biotechnological approaches to develop drought-resistant crops. One notable

example is the development of the genetically modified (GM) maize variety MON 87460, which expresses the cold shock protein B (CspB) from *Bacillus subtilis*. This protein helps maintain cellular function under water-limited conditions. Field trials of MON 87460 in the United States showed a yield advantage of 6% under moderate drought conditions compared to conventional maize varieties [20]. In rice, the overexpression of the transcription factor OsNAC10 under the control of a stress-inducible promoter has resulted in improved drought tolerance and increased grain yield under field drought conditions. The transgenic lines showed enhanced root growth, which is crucial for water uptake under drought stress. Similarly, the overexpression of the HARDY gene from *Arabidopsis* in rice has conferred drought tolerance by improving water use efficiency and enhancing root development [21]. Another successful case is the development of drought-tolerant wheat varieties through the overexpression of the transcription factor DREB1A from *Arabidopsis*. These transgenic wheat plants exhibited better growth and yield under drought conditions by enhancing the expression of stress-responsive genes.

B. Pest and disease resistance

Pests are a major threat to agricultural productivity, causing significant crop losses worldwide. Genetic modifications have been extensively used to develop pest-resistant crops, thereby reducing the reliance on chemical pesticides and promoting sustainable agriculture (Table 1) [22]. One of the most successful applications of biotechnology in pest resistance is the development of Bt crops. These crops contain genes from the bacterium *Bacillus thuringiensis* (Bt) that produce insecticidal proteins toxic to specific insect pests. Bt cotton and Bt maize are widely adopted examples. Bt cotton expresses the Cry1Ac protein, which is highly effective against the cotton bollworm (*Helicoverpa armigera*). The adoption of Bt cotton in India has led to substantial reductions in pesticide use and significant increases in yield and farmer profits [23]. RNA interference (RNAi) technology is another promising approach for developing pest-resistant crops. RNAi involves the silencing of specific genes in pests, leading to their death or reduced fitness. For example, transgenic maize expressing dsRNA targeting the gene DvSnf7 in the western corn rootworm (*Diabrotica virgifera*) has shown effective pest control by interfering with essential gene

expression in the insect. CRISPR-Cas9 has also been used to develop pest-resistant crops by knocking out genes that confer susceptibility to pests. For example, knocking out the OsHKT1;5 gene in rice has enhanced resistance to the brown planthopper by reducing sodium transport to the shoots, which the pest exploits.

7. DEVELOPMENT OF DISEASE-RESISTANT VARIETIES

Diseases caused by bacteria, fungi, and viruses pose significant challenges to crop production. Biotechnology has been instrumental in developing disease-resistant crop varieties through various genetic modifications. One common strategy is the introduction of resistance (R) genes that recognize specific pathogen effectors and trigger defense responses. For example, the introduction of the Xa21 gene from wild rice (*Oryza longistaminata*) into cultivated rice confers broad-spectrum resistance to bacterial blight, a major disease caused by *Xanthomonas oryzae* pv. *oryzae* [24]. Similarly, the introduction of the R gene RB from wild potato (*Solanum bulbocastanum*) into cultivated potato provides resistance to late blight caused by *Phytophthora infestans*. Another approach involves the use of pathogen-derived resistance, where genes from the pathogen itself are used to confer resistance. For example, transgenic papaya expressing the coat protein gene of the papaya ringspot virus (PRSV) has shown effective resistance to the virus, significantly reducing losses due to this disease in Hawaii. CRISPR-Cas9 technology has also been applied to develop disease-resistant crops. The targeted mutagenesis of the MLO gene in wheat has conferred resistance to powdery mildew by disrupting the gene that the pathogen exploits to infect the plant [25]. This approach provides a durable form of resistance as it targets the host susceptibility gene rather than the pathogen.

C. Nutritional enhancement

Biofortification, the process of increasing the nutrient content of crops through genetic modifications, is a vital strategy to combat malnutrition. Traditional breeding methods have had limited success in significantly enhancing the nutritional content of crops, making biotechnology an essential tool in biofortification efforts. One of the most successful biofortification projects is the development of Golden Rice, engineered to produce beta-carotene, a precursor of Vitamin A. This is achieved by

introducing genes from maize and a soil bacterium (*Pantoeaanatis*) into the rice genome, allowing the rice endosperm to synthesize beta-carotene [26]. Golden Rice aims to alleviate Vitamin A deficiency, which affects millions of people in developing countries and is a leading cause of preventable blindness in children. Iron and zinc deficiencies are also widespread, particularly in regions where diets are heavily reliant on staple crops like rice and wheat. Biofortified rice varieties have been developed by overexpressing the iron storage protein ferritin, derived from soybeans, to increase iron content in rice grains. Similarly, enhancing the expression of nicotianamine synthase, which increases the bioavailability of zinc, has resulted in rice varieties with higher zinc content. In cassava, a staple root crop in many parts of Africa, biofortification efforts have focused on increasing the content of beta-carotene, iron, and zinc. Transgenic cassava plants expressing a combination of genes involved in the biosynthesis and accumulation of these nutrients have shown significantly enhanced levels of these micronutrients in the edible roots [27].

8. SUCCESS STORIES IN NUTRITIONAL IMPROVEMENT

Several biofortified crops developed through biotechnological approaches have demonstrated success in improving nutritional outcomes. One notable example is the development of high-iron pearl millet. This biofortified crop, developed through conventional breeding and marker-assisted selection, contains significantly higher iron levels than standard varieties. Field trials and consumption studies have shown that high-iron pearl millet can effectively improve iron status in populations suffering from iron deficiency anaemia [28]. Another success story is the development of biofortified sweet potatoes rich in beta-carotene. Orange-fleshed sweet potatoes (OFSP) have been bred to contain higher levels of beta-carotene, and their introduction in sub-Saharan Africa has led to significant improvements in Vitamin A intake and status among children and women. The success of OFSP demonstrates the potential of biofortified crops to address micronutrient deficiencies and improve public health outcomes. Iron-biofortified beans are another example of successful nutritional enhancement. These beans have been developed to contain higher iron content through traditional breeding and marker-assisted selection. Studies in Rwanda

have shown that consuming iron-biofortified beans can improve iron status and reduce anaemia prevalence among women and children [29].

9. ADVANCEMENTS IN SOIL AND PLANT HEALTH MONITORING

A. Soil microbiome manipulation

The soil microbiome, comprising bacteria, fungi, archaea, and viruses, plays a crucial role in maintaining soil health and fertility. It is integral to nutrient cycling, organic matter decomposition, soil structure formation, and plant health. Microbial communities facilitate the breakdown of organic matter, releasing essential nutrients such as nitrogen, phosphorus, and sulphur that plants require for growth. They also help in suppressing soil-borne pathogens, thereby promoting plant health. The soil microbiome's diversity and functionality are directly linked to plant health and productivity. Beneficial microbes, such as rhizobia, form symbiotic relationships with legumes to fix atmospheric nitrogen, making it available to plants. Mycorrhizal fungi enhance nutrient and water uptake by extending the root system through hyphal networks. Other beneficial microbes produce phytohormones and antimicrobial compounds, which aid in plant growth and disease resistance [30]. Several biotechnological techniques are employed to manipulate and enhance the soil microbiome to improve crop health and yield. These include inoculation with beneficial microbes, the use of biofertilizers and biopesticides, and soil amendments. Inoculation with beneficial microbes involves introducing specific strains of bacteria or fungi into the soil or onto seeds to enhance plant-microbe interactions. For example, the application of rhizobium inoculants in legume crops like soybeans and peas enhances nitrogen fixation, leading to improved plant growth and yield. Similarly, mycorrhizal inoculants are used to improve nutrient uptake and stress tolerance in various crops [31]. Biofertilizers and biopesticides leverage the natural abilities of microbes to enhance soil fertility and protect plants from pests and diseases. Biofertilizers, such as those containing *Azospirillum*, *Azotobacter*, and phosphate-solubilizing bacteria, enhance nutrient availability and uptake. Biopesticides, like *Bacillus thuringiensis* and *Trichoderma* spp., control soil-borne pathogens and pests, reducing the need for chemical inputs. Soil amendments, including organic matter additions like compost and

biochar, support microbial activity and diversity. These amendments provide essential nutrients and improve soil structure, which enhances water retention and root growth. Recent advancements in microbial consortia design and synthetic biology also offer potential for tailoring microbial communities to specific soil and crop needs [32]. Enhancing the soil microbiome has a profound impact on crop yield and health. Studies have shown that inoculating crops with beneficial microbes can significantly increase yields. Soybean yields increased by 20-30% with rhizobium inoculation [33]. Mycorrhizal inoculation in crops like maize and wheat has shown yield improvements of up to 15% under field conditions. Improved soil microbiome also enhances plant health by reducing disease incidence and improving stress tolerance. Biopesticides reduce the prevalence of soil-borne diseases like Fusarium wilt and Pythium root rot, which can devastate crops. Enhanced microbial diversity and activity improve soil structure and nutrient availability, leading to more robust and resilient plants [34].

B. Biosensors and nanotechnology

Biosensors are analytical devices that combine a biological component with a physicochemical detector to measure various substances in the environment. In agriculture, biosensors are used to monitor soil and plant health by detecting nutrients, pathogens, and environmental conditions. There are several types of biosensors based on the biological component used: enzyme-based, antibody-based, nucleic acid-based, and cell-based sensors. Enzyme-based biosensors utilize enzymes as biorecognition elements to detect specific substrates, such as urea or nitrate, which are important for assessing soil fertility. Antibody-based biosensors use antibodies to detect pathogens or toxins, providing rapid diagnosis of plant diseases. Nucleic acid-based biosensors detect specific DNA or RNA sequences, useful for identifying genetically modified organisms (GMOs) or specific plant pathogens. Cell-based biosensors use whole cells to detect a range of environmental conditions, such as pollutants or nutrient levels, by measuring changes in cellular activity [35]. Biosensors are applied in precision agriculture to provide real-time data on soil conditions and plant health. For example, biosensors can measure soil pH, moisture, and nutrient levels, enabling farmers to optimize fertilizer use and irrigation schedules. Pathogen detection biosensors help in early diagnosis of

plant diseases, allowing for timely intervention and reducing crop losses [36]. Nanotechnology, the manipulation of matter on an atomic or molecular scale, offers advanced tools for plant health monitoring. Nanomaterials, due to their unique properties, are used to enhance the sensitivity and specificity of biosensors and to develop new delivery systems for agrochemicals. Nanoparticles, such as gold nanoparticles, quantum dots, and carbon nanotubes, are used in biosensors to improve signal transduction and detection limits. Gold nanoparticles, are employed in colorimetric sensors for visual detection of pathogens and nutrients. Quantum dots, with their fluorescent properties, are used in biosensors for multiplexed detection of various analytes [37]. Nanotechnology also enables the development of smart delivery systems for fertilizers, pesticides, and growth regulators. These systems, often referred to as nanocarriers, can release agrochemicals in a controlled manner, improving their efficiency and reducing environmental impact. For example, nano-encapsulated fertilizers release nutrients slowly, matching the nutrient uptake patterns of plants and minimizing leaching losses. In plant health monitoring, nanosensors are integrated into plant tissues or the soil to provide continuous data on physiological parameters. Nanosensors can monitor plant water status, nutrient levels, and stress markers at the cellular level, providing detailed insights into plant health and facilitating precision agriculture practices [38].

C. Precision agriculture

Precision agriculture involves the use of advanced technologies to optimize field-level management concerning crop farming. The integration of biotechnology with precision farming enhances the efficiency and effectiveness of agricultural practices by providing detailed, real-time data on soil and plant health. Biotechnological tools, such as genetically modified crops and microbial inoculants, are combined with precision farming technologies like GPS, remote sensing, and IoT devices. Genetically modified crops engineered for herbicide tolerance or pest resistance are monitored using remote sensing technologies to assess crop health and detect pest or weed infestations early [39]. IoT devices and sensors collect data on soil moisture, nutrient levels, and environmental conditions, which are then analyzed using machine learning algorithms to provide actionable insights. These insights help farmers make informed decisions on irrigation,

fertilization, and pest management, optimizing resource use and improving yields [40]. Precision agriculture technologies also enable site-specific management practices. Variable rate technology (VRT) adjusts the application rates of fertilizers and pesticides based on soil and crop conditions, reducing input costs and minimizing environmental impact. For example, VRT is used to apply nitrogen fertilizers precisely where needed, based on real-time soil and crop data, improving nitrogen use efficiency and reducing greenhouse gas emissions [41]. Several case studies demonstrate the successful implementation of biotechnological solutions integrated with precision agriculture practices. One notable example is the use of precision irrigation systems in vineyards. By integrating soil moisture sensors, weather data, and plant physiological indicators, vineyard managers can optimize irrigation schedules, reducing water use by up to 20% while maintaining or improving grape yield and quality. In another case, the integration of GM crops with precision farming techniques in maize production has shown significant benefits. Farmers using Bt maize, combined with remote sensing for pest monitoring and VRT for fertilizer application, have reported increased yields and reduced input costs. The precise application of inputs based on field data has led to a 15% increase in yield and a 20% reduction in pesticide use [42]. Precision agriculture has also been successfully implemented in soybean production. The use of rhizobium inoculants, combined with real-time soil nutrient monitoring and VRT for phosphorus application, has improved soybean yields by 10-15% while reducing fertilizer use. This integrated approach enhances soil health, promotes sustainable farming practices, and increases profitability for farmers [43].

10. SUSTAINABLE FARMING PRACTICES THROUGH BIOTECHNOLOGY

A. Biopesticides and biofertilizers

Biopesticides are derived from natural materials such as animals, plants, bacteria, and certain minerals. They include microbial pesticides, plant-incorporated protectants (PIPs), and biochemical pesticides. Microbial pesticides contain microorganisms as the active ingredient and are often used to control a wide variety of pests. An example is *Bacillus thuringiensis* (Bt), which produces proteins toxic to certain insects. Bt is widely used in both organic and conventional agriculture and is known for its

specificity to target pests without harming beneficial insects [44]. Plant-incorporated protectants (PIPs) are pesticidal substances that plants produce from genetic material that has been added to the plant. Genetically modified (GM) crops such as Bt cotton and Bt corn have been engineered to express insecticidal proteins derived from Bt bacteria. These PIPs provide an effective defense against pest infestations while reducing the need for chemical pesticides [45]. Biochemical pesticides are naturally occurring substances that control pests by non-toxic mechanisms. These include insect pheromones that disrupt mating, plant extracts with repellent properties, and enzymes that inhibit the growth of pathogens. Neem oil, extracted from the seeds of the neem tree, contains azadirachtin, a compound that disrupts the life cycle of insects and is widely used in integrated pest management [46]. Biopesticides offer several advantages over conventional chemical pesticides. They are generally less toxic, degrade more rapidly in the environment, and are more specific to target pests, thereby reducing harm to non-target species and beneficial organisms. This specificity also helps in managing pest resistance, a significant issue with chemical pesticides. Biopesticides are often compatible with other pest management practices and can be integrated into sustainable farming systems [47]. Despite these advantages, there are challenges associated with the development and use of biopesticides. One of the primary challenges is the variability in efficacy due to environmental factors such as temperature, humidity, and UV radiation, which can affect the stability and performance of biopesticides in the field. The production and formulation of biopesticides can be more complex and costlier compared to chemical pesticides, leading to higher market prices. There are also regulatory hurdles, as biopesticides must undergo rigorous testing to ensure their safety and effectiveness, which can be time-consuming and expensive [48].

B. Biodegradable materials and green technologies

Biodegradable agrochemicals are designed to break down more quickly and completely in the environment compared to traditional agrochemicals, thereby reducing their ecological footprint. These include biodegradable pesticides, herbicides, and fertilizers made from natural or synthetic substances that decompose through the action of microorganisms [49]. One approach to developing biodegradable

agrochemicals is through the use of natural polymers such as chitosan, derived from chitin, and starch-based materials. These polymers can be used to formulate slow-release fertilizers and pesticides that degrade naturally in the soil. For example, chitosan-based nanoparticles have been used to encapsulate and slowly release pesticides, providing effective pest control while minimizing environmental impact [50]. Another innovative development is the use of biopolymers in the production of biodegradable mulch films. Traditional plastic mulch films are widely used to suppress weeds, conserve soil moisture, and enhance crop yield, but they create significant plastic waste. Biodegradable mulch films made from materials like polylactic acid (PLA) and polyhydroxyalkanoates (PHA) offer an environmentally friendly alternative, decomposing into non-toxic residues in the soil. The adoption of biodegradable agrochemicals and green technologies has a profound impact on environmental sustainability. These materials reduce the accumulation of persistent pollutants in the soil and water, mitigating their adverse effects on wildlife and ecosystems. Biodegradable pesticides reduce the risk of pesticide residues entering the food chain and contaminating groundwater [51]. Biodegradable agrochemicals often promote soil health by reducing the chemical load on soil microorganisms and enhancing the soil's natural biotic activity. This can lead to improved soil structure, fertility, and productivity over time. For example, the use of biodegradable mulches not only reduces plastic waste but also enhances soil moisture retention and temperature regulation, contributing to better crop performance [52]. Green technologies, including renewable energy sources and sustainable farming practices, further enhance environmental sustainability. The integration of solar-powered irrigation systems, reduces the reliance on fossil fuels and lowers carbon emissions. Similarly, precision agriculture technologies that optimize the use of water, fertilizers, and pesticides help in conserving natural resources and reducing the environmental footprint of farming operations [53].

C. Waste management and recycling

Agricultural activities generate significant amounts of waste, including crop residues, animal manure, and agro-industrial by-products. Biotechnological solutions offer effective methods for managing and recycling this waste, converting it into valuable resources such as bioenergy, biofertilizers, and bioplastics [54].

Anaerobic digestion is a biotechnological process that decomposes organic waste in the absence of oxygen to produce biogas and digestate. Biogas, primarily composed of methane and carbon dioxide, can be used as a renewable energy source for heating, electricity, and transportation. Digestate, the residual material from the digestion process, is rich in nutrients and can be used as a biofertilizer to enhance soil fertility and crop growth [55]. Composting is another biotechnological method that involves the aerobic decomposition of organic waste by microorganisms. The resulting compost is a valuable soil amendment that improves soil structure, nutrient content, and water retention. Composting can be applied to a wide range of agricultural wastes, including crop residues, animal manure, and food processing by-products, reducing landfill waste and enhancing soil health. Biotechnological innovations have led to the development of bioplastics from agricultural waste. Polylactic acid (PLA) can be produced from corn starch, and polyhydroxyalkanoates (PHAs) can be synthesized by bacteria using agricultural residues as feedstock. These bioplastics are biodegradable and offer an environmentally friendly alternative to conventional plastics, contributing to waste reduction and resource sustainability [56]. Several case studies illustrate the successful implementation of biotechnological solutions for agricultural waste management and recycling. One notable example is the use of anaerobic digestion on dairy farms. In the United States, many dairy farms have adopted anaerobic digesters to process animal manure and other organic waste. The biogas produced is used to generate electricity, offsetting the farm's energy costs, while the digestate is used as a high-quality fertilizer. This approach not only reduces greenhouse gas emissions from manure storage but also provides a sustainable energy source and improves nutrient recycling on the farm [57]. In Europe, composting has been widely adopted to manage agricultural waste and produce high-quality compost for organic farming. The Biowaste Treatment Facility in Italy processes food waste, green waste, and agricultural residues through composting and anaerobic digestion. The facility produces biogas for electricity and heat generation and high-quality compost that is used in local agriculture, closing the loop on organic waste management [58]. In India, the development of bioplastics from agricultural residues has gained momentum. Researchers have successfully produced PHAs

from sugarcane bagasse, a by-product of the sugar industry. These bioplastics are used in various applications, including packaging and agricultural films, providing a sustainable solution to plastic waste and adding value to agricultural by-products. Another practical application is the use of biofertilizers derived from waste materials. For example, vermicomposting, which uses earthworms to decompose organic waste, produces nutrient-rich vermicompost. This biofertilizer has been shown to enhance soil fertility and crop yields in various farming systems. Farmers in countries like Brazil and India have adopted vermicomposting to recycle crop residues and animal manure, reducing waste and improving soil health [59].

11. ECONOMIC AND SOCIAL ANALYSIS

A. Cost-Benefit analysis of biotechnological solutions

The adoption of biotechnological solutions such as genetically modified (GM) crops, biofertilizers, and biopesticides presents significant initial costs for farmers. These include premiums for GM seeds, licensing fees, and infrastructure investments. Smallholder farmers may find these costs particularly challenging [60]. Despite these upfront expenses, the long-term benefits often outweigh the costs. GM crops have shown a 22% increase in yields, a 37% reduction in pesticide use, and a 68% increase in farmer profits from 1996 to 2016. Biofertilizers and biopesticides, although initially costlier, improve soil health and crop productivity, offering long-term economic and environmental benefits. Beyond immediate financial gains, biotechnological solutions contribute to enhanced food security, environmental sustainability, and economic resilience. Increased productivity helps stabilize food prices and supply, reducing risks of shortages and market volatility [61]. Healthier ecosystems resulting from reduced pesticide use and improved soil health provide significant economic savings in ecosystem services like pollination, water filtration, and climate regulation. Moreover, these innovations stimulate rural development and job creation, benefiting local economies and improving livelihoods.

B. Social acceptance and ethics

Public perception significantly influences the adoption of biotechnological solutions. Acceptance varies widely, with factors such as food safety, environmental impacts, and corporate control affecting public opinion.

Misinformation and lack of understanding exacerbate skepticism. Educational initiatives, including public awareness campaigns and school programs, are essential to enhance scientific literacy and address misconceptions, fostering public trust and support for biotechnological advancements [62]. Biotechnological advancements raise several ethical concerns, including impacts on biodiversity, ownership and control of innovations, and potential unintended consequences. The reduction in genetic diversity due to widespread adoption of GM crops poses risks to long-term food security. Intellectual property rights can limit access to technologies for smallholder farmers, raising equity issues. The precautionary principle often guides debates on the release of GMOs to prevent unforeseen ecological impacts [63].

C. Policy and regulation

Regulation of biotechnological solutions varies globally. In the U.S., multiple agencies (USDA, EPA, FDA) collaborate to assess environmental, health, and safety impacts, following a science-based approach. The European Union adopts a more precautionary framework, requiring comprehensive risk assessments and long-term monitoring before approval, along with mandatory labelling and traceability of GM products. International organizations like the Codex Alimentarius Commission and the Cartagena Protocol on Biosafety provide guidelines for safe handling and use of GMOs, promoting global cooperation [64]. Future policies should enhance transparency and public engagement in the regulatory process, ensuring clear communication about the benefits and risks of biotechnological products and involving all stakeholders [65]. Ensuring equitable access to innovations through public-private partnerships and technology transfer is crucial for addressing global food security. A balanced approach to risk assessment, integrating scientific evidence with the precautionary principle, is necessary for adaptive regulatory frameworks. Promoting interdisciplinary research and innovation can develop holistic solutions for agricultural productivity and sustainability [66].

12. FUTURE

A. Emerging biotechnologies in agriculture

Synthetic biology combines engineering and biology principles to design and construct new

biological systems or redesign existing ones. This approach holds transformative potential for agriculture by developing crops with novel traits, improved resilience, and enhanced productivity. Applications include creating synthetic gene circuits that control gene expression in response to environmental stimuli, enhancing photosynthesis efficiency, and designing metabolic pathways for valuable compounds directly in crop. Synthetic biology can engineer microbial consortia to promote growth, nutrient uptake, and pathogen protection [67]. Gene drives increase the likelihood of a specific gene being inherited, allowing rapid spread of desirable traits through populations. This technology has significant potential in pest control, spreading disease resistance genes, and eradicating invasive species. For example, gene drives can control pest populations like the fall armyworm and manage disease vectors such as the Asian citrus psyllid. Advanced breeding techniques like CRISPR-Cas9 enable precise and efficient genetic modifications, accelerating the development of crops with enhanced traits such as disease resistance, drought tolerance, and improved nutritional content [68].

B. Potential impact of AI and machine learning

AI and machine learning (ML) are revolutionizing agriculture by analyzing vast data to optimize farming practices and decision-making. Integration with biotechnological solutions enhances crop management, yield prediction, and resource use efficiency. AI can monitor crop health, identify stress factors, and tailor interventions based on biotechnological data, optimizing inputs and improving outcomes. ML models enhance genetic selection and breeding programs by predicting complex traits, while AI-powered robotics automate labour-intensive tasks, increasing efficiency and reducing labour costs [69]. Predictive analytics, powered by AI and ML, transforms crop management by providing predictive insights for decision-making. These technologies forecast crop performance, anticipate risks, and recommend optimal management practices based on historical and real-time data. Predictive models estimate pest outbreaks, disease risks, and optimize irrigation and fertilization practices, enhancing nutrient use efficiency and reducing environmental impact. They also support market decisions by forecasting crop yields and trends, helping farmers plan production and marketing strategies [70].

C. Collaborative efforts and global initiatives

International collaborations are crucial for advancing biotechnological solutions in agriculture and addressing global challenges like food security and climate change. Examples include the CGIAR partnership, which conducts research to develop improved crop varieties, and farming practices shared globally, and the Global Alliance for Climate-Smart Agriculture (GACSA), promoting climate-resilient agricultural practices. These collaborations facilitate knowledge sharing, capacity building, and technology transfer, enhancing technological capabilities and promoting biotechnological innovations in developing countries [71]. Global initiatives promote sustainable farming practices to achieve the United Nations Sustainable Development Goals (SDGs). The FAO's Sustainable Food and Agriculture (SFA) program promotes practices enhancing productivity while preserving natural resources and biodiversity. The Global Partnership on Agricultural and Soil Management (GPAS) shares knowledge on sustainable soil management practices, and the Global Food Security Program supports research and innovation for improving food security. Initiatives like the International Treaty on Plant Genetic Resources for Food and Agriculture (ITPGRFA) facilitate genetic material exchange and biotechnological innovation, supporting resilient crop development [72].

13. CONCLUSION

The future of agriculture lies in the integration of advanced biotechnological solutions, such as synthetic biology, gene drives, and precision farming enhanced by AI and machine learning. These innovations promise significant improvements in crop resilience, productivity, and sustainability, addressing global challenges like food security and climate change. Realizing this potential requires robust international collaborations and supportive policy frameworks that ensure equitable access and address ethical concerns. By fostering interdisciplinary research, enhancing public understanding, and promoting sustainable practices, we can leverage these emerging technologies to create a more resilient and sustainable agricultural system, ultimately contributing to global food security and environmental health.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models

(ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Ogbu JU, Namayanja A. Agricultural biotechnology. *Agricultural Technology for Colleges*. 2021;583.
2. Chovatiya A, Rajyaguru R, Tomar RS, Joshi P. Revolutionizing agriculture: Harnessing CRISPR/cas9 for crop enhancement. *Indian Journal of Microbiology*. 2024;64(1):59-69.
3. Condon A. Designed DNA molecules: Principles and applications of molecular nanotechnology. *Nature Reviews Genetics*. 2006;7(7):565-575.
4. Redenbaugh K. Safety assessment of genetically engineered fruits and vegetables: A case study of the Flavr Savr Tomato. CRC Press; 2014.
5. Lin BB. Resilience in agriculture through crop diversification: Adaptive management for environmental change. *Bio Science*. 2011;61(3):183-193.
6. Aleminew A, Alemayehu M. Soil fertility depletion and its management options under crop production perspectives in Ethiopia: A review. *Agricultural Reviews*. 2020;41(2):91-105.
7. Jauhar PP. Modern biotechnology as an integral supplement to conventional plant breeding: The prospects and challenges. *Crop Science*. 2006;46(5): 1841-1859.
8. Brehm-Stecher BF, Johnson EA. Single-cell microbiology: Tools, technologies, and applications. *Microbiology and Molecular Biology Reviews*. 2004;68(3):538-559.
9. Bhagat PR, Naz F, Magda R. Artificial intelligence solutions enabling sustainable agriculture: A bibliometric analysis. *Plos One*. 2022;17(6):e0268989.
10. Sander JD, Joung JK. CRISPR-Cas systems for editing, regulating and targeting genomes. *Nature Biotechnology*. 2014;32(4):347-355.
11. Dubock A. An overview of agriculture, nutrition and fortification, supplementation

- and biofortification: Golden Rice as an example for enhancing micronutrient intake. *Agriculture and Food Security*. 2017;6(1): 59.
12. Demirci Y, Zhang B, Unver T. CRISPR/Cas9: An RNA-guided highly precise synthetic tool for plant genome editing. *Journal of Cellular Physiology*. 2018;233(3):1844-1859.
 13. Dowd-Uribe B, Schnurr MA. Burkina Faso's Bt cotton reversal: Why Africa's largest producer of GM cotton is phasing out production and what this means for GM crops in Africa. *Food, Farming and Biotechnology*; 2016.
 14. Chalmers D, Nicol D. Commercialisation of biotechnology: Public trust and research. *International Journal of Biotechnology*. 2004;6(2-3):116-133.
 15. Boopathi NM. Genetic mapping and marker assisted selection. India: Springer; 2013.
 16. Prasanna BM. Developing and deploying abiotic stress-tolerant maize varieties in the tropics: challenges and opportunities. *Molecular Breeding for Sustainable Crop Improvement*. 2016;2:61-77.
 17. Gosa SS, Wani SH, Kang MS. Biotechnology and drought tolerance. *Journal of Crop Improvement*. 2009;23(1):19-54.
 18. Agarwal PK, Gupta K, Lopato S, Agarwal P. Dehydration responsive element binding transcription factors and their applications for the engineering of stress tolerance. *Journal of Experimental Botany*. 2017;68(9):2135-2148.
 19. Amara I, Zaidi I, Masmoudi K, Ludevid MD, Pagès M, Goday A, Brini F. Insights into late embryogenesis abundant (LEA) proteins in plants: From structure to the functions. *American Journal of Plant Sciences*. 2014;5(22):3440.
 20. Sammons B, Whitsel J, Stork LG, Reeves W, Horak M. Characterization of drought-tolerant maize MON 87460 for use in environmental risk assessment. *Crop Science*. 2014;54(2):719-729.
 21. Karaba A, Dixit S, Greco R, Aharoni A, Trijatmiko KR, Marsch-Martinez N, Pereira A. Improvement of water use efficiency in rice by expression of HARDY, an Arabidopsis drought and salt tolerance gene. *Proceedings of the National Academy of Sciences*. 2007;104(39): 15270-15275.
 22. Mohankumar S, Ramasubramanian T. Role of genetically modified insect-resistant crops in IPM: Agricultural, ecological and evolutionary implications. In *Integrated Pest Management*. Academic Press. 2014;371-399.
 23. Kathage J, Qaim M. Economic impacts and impact dynamics of Bt (*Bacillus thuringiensis*) cotton in India. *Proceedings of the National Academy of Sciences*. 2012;109(29):11652-11656.
 24. Zhou YL, Uzokwe VN, Zhang CH, Cheng LR, Wang L, Chen K, Li ZK. Improvement of bacterial blight resistance of hybrid rice in China using the Xa23 gene derived from wild rice (*Oryza rufipogon*). *Crop Protection*. 2011;30(6):637-644.
 25. Kusch S, Panstruga R. Mlo-based resistance: An apparently universal "weapon" to defeat powdery mildew disease. *Molecular Plant-Microbe Interactions*. 2017;30(3):179-189.
 26. Alós E, Rodrigo MJ, Zacarias L. Manipulation of carotenoid content in plants to improve human health. *Carotenoids in Nature: Biosynthesis, Regulation and Function*. 2016;311-343.
 27. Narayanan N, Beyene G, Chauhan RD, Gaitán-Solis E, Grusak MA, Taylor N, Anderson P. Overexpression of Arabidopsis VIT1 increases accumulation of iron in cassava roots and stems. *Plant Science*. 2015;240:170-181.
 28. Manwaring HR, Bligh HFJ, Yadav R. The challenges and opportunities associated with biofortification of pearl millet (*Pennisetum glaucum*) with elevated levels of grain iron and zinc. *Frontiers in Plant Science*. 2016;7:237292.
 29. Haas JD, Luna SV, Lung'aho MG, Wenger MJ, Murray-Kolb LE, Beebe S, Egli IM. Consuming iron biofortified beans increases iron status in Rwandan women after 128 days in a randomized controlled feeding trial. *The Journal of Nutrition*. 2016;146(8):1586-1592.
 30. Egamberdieva D, Wirth SJ, Alqarawi AA, Abd_Allah EF, Hashem A. Phytohormones and beneficial microbes: Essential components for plants to balance stress and fitness. *Frontiers in Microbiology*. 2017;8:278255.

31. Rouphael Y, Franken P, Schneider C, Schwarz D, Giovannetti M, Agnolucci M, Colla G. *Arbuscular mycorrhizal* fungi act as biostimulants in horticultural crops. *Scientia Horticulturae*. 2015;196:91-108.
32. De Souza RSC, Armanhi JSL, Arruda P. From microbiome to traits: Designing synthetic microbial communities for improved crop resiliency. *Frontiers in Plant Science*. 2020;11:553605.
33. Ulzen J, Abaidoo RC, Mensah NE, Masso C, AbdelGadir AH. Bradyrhizobium inoculants enhance grain yields of soybean and cowpea in Northern Ghana. *Frontiers in Plant Science*. 2016;7:1770.
34. Maron PA, Sarr A, Kaisermann A, Lévêque J, Mathieu O, Guigue J, Ranjard L. High microbial diversity promotes soil ecosystem functioning. *Applied and Environmental Microbiology*. 2018;84(9): e02738-17.
35. Saini R, Hegde K, Brar SK, Verma M. Advances in whole cell-based biosensors in environmental monitoring. In *Tools, Techniques and Protocols for Monitoring Environmental Contaminants*. Elsevier. 2019;263-284.
36. Fang Y, Ramasamy RP. Current and prospective methods for plant disease detection. *Biosensors*. 2015;5(3):537-561.
37. Hildebrandt N. Biofunctional quantum dots: Controlled conjugation for multiplexed biosensors. *Acs Nano*. 2011;5(7):5286-5290.
38. Zhang Q, Ying Y, Ping J. Recent advances in plant nanoscience. *Advanced Science*. 2022;9(2):2103414.
39. Huang Y, Lee MA, Thomson SJ, Reddy KN. Ground-based hyperspectral remote sensing for weed management in crop production. *International Journal of Agricultural and Biological Engineering*. 2016;9(2):98-109.
40. Koshariya AK, Rameshkumar PM, Balaji P, Cavaliere LPL, Dornadula VHR, Singh B. Data-Driven Insights for Agricultural Management: Leveraging Industry 4.0 Technologies for Improved Crop Yields and Resource Optimization. In *Robotics and Automation in Industry 4.0*. CRC Press. 2024;260-274.
41. Soto I, Barnes A, Balafoutis A, Beck B, Sánchez B, Vangeyte J, Gómez-Barbero M. The contribution of precision agriculture technologies to farm productivity and the mitigation of greenhouse gas emissions in the EU. Luxembourg: Publications Office of the European Union; 2019.
42. Liu Y, Pan X, Li J. A 1961–2010 record of fertilizer use, pesticide application and cereal yields: A review. *Agronomy for Sustainable Development*. 2015;35: 83-93.
43. Tahat MMM, Alananbeh KA, Othman YI, Leskovar D. Soil health and sustainable agriculture. *Sustainability*. 2020;12(12): 4859.
44. Hilbeck A, Schmidt JE. Another view on Bt proteins—how specific are they and what else might they do. *Biopesticides International*. 2006;2(1):1-50.
45. Jhala J, Baloda AS, Rajput VS. Role of bio-pesticides in recent trends of insect pest management: A review. *Journal of Pharmacognosy and Phytochemistry*. 2020;9(1):2237-2240.
46. Muhammad A, Kashere MA. Neem, *Azadirachta indica* L.(A. Juss): an eco-friendly botanical insecticide for managing farmersâ€™ insects pest problems—a review. *FUDMA Journal of Sciences*. 2020; 4(4):484-491.
47. Reddy DS, Chowdary NM. Botanical biopesticide combination concept—a viable option for pest management in organic farming. *Egyptian Journal of Biological Pest Control*. 2021;31(1):1-10.
48. Mishra J, Tewari S, Singh S, Arora NK. Biopesticides: Where we stand? In *Plant microbes symbiosis: Applied facets*. New Delhi: Springer India. 2014;37-75.
49. Tripathi S, Srivastava P, Devi RS, Bhadouria R. Influence of synthetic fertilizers and pesticides on soil health and soil microbiology. In *Agrochemicals detection, treatment and remediation* Butterworth-Heinemann. 2020;25 -54.
50. Mujtaba M, Khawar KM, Camara MC, Carvalho LB, Fraceto LF, Morsi RE, Wang D. Chitosan-based delivery systems for plants: A brief overview of recent advances and future directions. *International Journal of Biological Macromolecules*. 2020; 154:683-697.
51. Ali S, Ullah MI, Sajjad A, Shakeel Q, Hussain A. Environmental and health effects of pesticide residues. *Sustainable Agriculture Reviews 48: Pesticide Occurrence, Analysis and Remediation*. 2021;311-336.

52. El-Beltagi HS, Basit A, Mohamed HI, Ali I, Ullah S, Kamel EA, Ghazzawy HS. Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy*. 2022;12(8):1881.
53. Oliver MA, Bishop TF, Marchant BP. (Eds.). *Precision agriculture for sustainability and environmental protection*. Abingdon: Routledge. 2013;1-283.
54. Vaithyanathan VK, Cabana H. Integrated biotechnology management of biosolids: Sustainable ways to produce value—Added products. *Frontiers in Water*. 2021;3:729679.
55. Jurgutis L, Šlepetienė A, Šlepetys J, Cesevičienė J. Towards a full circular economy in biogas plants: Sustainable management of digestate for growing biomass feedstocks and use as biofertilizer. *Energies*. 2021;14(14):4272.
56. Moshood TD, Nawanir G, Mahmud F, Mohamad F, Ahmad MH, AbdulGhani A. Sustainability of biodegradable plastics: New problem or solution to solve the global plastic pollution? *Current Research in Green and Sustainable Chemistry*. 2022;5:100273.
57. Massé DI, Talbot G, Gilbert Y. On farm biogas production: A method to reduce GHG emissions and develop more sustainable livestock operations. *Animal Feed Science and Technology*. 2011;166:436-445.
58. Le Pera A, Sellaro M, Bencivenni E, D'Amico M F. Environmental sustainability of an integrate anaerobic digestion-composting treatment of food waste: Analysis of an Italian plant in the circular bioeconomy strategy. *Waste Management*. 2022;139:341-351.
59. Raza ST, Wu J, Rene ER, Ali Z, Chen Z. Reuse of agricultural wastes, manure, and biochar as an organic amendment: A review on its implications for vermicomposting technology. *Journal of Cleaner Production*. 2022;360:132200.
60. Langyintuo A. Smallholder farmers' access to inputs and finance in Africa. The role of smallholder farms in food and nutrition security. 2020;133-152.
61. IMF O, UNCTAD W. *Price volatility in food and agricultural markets: Policy responses*. FAO: Roma, Italy; 2011.
62. Jimenez J, Gamble-George J, Danies G, Hamm RL, Porras AM. Public Engagement with Biotechnology Inside and Outside the Classroom: Community-Focused Approaches. *GEN Biotechnology*. 2022; 1(4):346-354.
63. Myhr AI, Traavik T. The precautionary principle: Scientific uncertainty and omitted research in the context of GMO use and release. *Journal of Agricultural and Environmental Ethics*. 2002;15: 73-86.
64. Stoll PT. Controlling the risks of genetically modified organisms: The Cartagena protocol on biosafety and the SPS Agreement. *Yearbook of International Environmental Law*. 2000;10(1):82.
65. Quinlan MM, Smith J, Layton R, Keese P, Agbagala MLU, Palacpac MB, Ball L. Experiences in engaging the public on biotechnology advances and regulation. *Frontiers in Bioengineering and Biotechnology*. 2016;4:3.
66. Acevedo MF, Harvey DR, Palis FG. Food security and the environment: Interdisciplinary research to increase productivity while exercising environmental conservation. *Global Food Security*. 2018;16:127-132.
67. Song H, Ding MZ, Jia XQ, Ma Q, Yuan YJ. Synthetic microbial consortia: From systematic analysis to construction and applications. *Chemical Society Reviews*. 2014;43(20):6954-6981.
68. Rasheed A, Gill RA, Hassan MU, Mahmood A, Qari S, Zaman QU, Wu Z. A critical review: Recent advancements in the use of CRISPR/Cas9 technology to enhance crops and alleviate global food crises. *Current Issues in Molecular Biology*. 2021;43(3):1950-1976.
69. Ahmad L, Nabi F. *Agriculture 5.0: Artificial intelligence, IoT and machine learning*. CRC Press; 2021.
70. Allen PG. Economic forecasting in agriculture. *International Journal of Forecasting*. 1994;10(1):81-135.
71. Pandey N, De Coninck H, Sagar AD. Beyond technology transfer: Innovation cooperation to advance sustainable development in developing countries. *Wiley Interdisciplinary Reviews: Energy and Environment*. 2022;11(2): e422.
72. Halewood M, Chiurugwi T, Sackville Hamilton R, Kurtz B, Marden E, Welch E,

Powell W. Plant genetic resources for food and agriculture: Opportunities and challenges emerging from the science

and information technology revolution. New Phytologist. 2018;217(4): 1407-1419.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/118859>